

JSK Plastic Industries is a leading manufacturer and supplier of high quality HDPE carboys, plastic barrel drums, HDPE drums, and plastic opentop drums. With a commitment to innovation, quality, and sustainability, we have established ourselves as a trusted provider of industrial packaging solutions.





D – 21, Adishwar Gold, Nikol-Kathwada Cross Road, SP Ring Road, Ahmedabad-382350, Gujarat, India

Email: info@jskplast.com Website: www.jskplast.com

Call Us:

+91 82007 89286

+91 95379 52080

# **NARROW MOUTH BARREL**



210 LTR NARROW MOUTH BARREL		
RAW MATERIAL	HM HDPE Granules	
HEIGHT IN MM	920 mm ± 05mm	
OUSIDE DIAMETER	585 mm ± 05mm	
BUNGS	2 x 50 mm	
MINIMUM THICKNESS OF DRUM	3 MM	
COLOR	Blue, Red, Yellow, Green	
WEIGHT	7.8 / 8.2 / 8.5 / 9.0 / 9.2 / 9.5 / 10.5 kgs. (±2%)	



235 LTR NARROW MOUTH BARREL	
RAW MATERIAL	HM HDPE Granules
HEIGHT IN MM	1010 mm ± 05mm
OUSIDE DIAMETER	585 mm ± 05mm
BUNGS	2 x 50 mm
MINIMUM THICKNESS OF DRUM	3 MM
COLOR	Blue, Red, Yellow, Green
WEIGHT	8.2 / 8.5 / 9.0 / 9.2 / 9.5 / 10.5 kgs. (±2%)



250 LTR NARROW MOUTH BARREL	
RAW MATERIAL	HM HDPE Granules
HEIGHT IN MM	1040 mm ± 10 mm
OUSIDE DIAMETER	585 mm ± 10mm
BUNGS	2 x 50 mm
MINIMUM THICKNESS OF DRUM	3 MM
COLOR	Blue, Red, Yellow, Green
WEIGHT	8.5 / 9.0 / 9.2 / 9.5 / 10.5 kgs. (±2%)

Suitable for Packaging of Food, Pharma, Bulk Drugs, Castor Oils, Pesticides, Lube Oil, Acids, And many other Concentrated Chemicals

## **OPEN TOP BARREL**



210 LTR OPEN TOP BARREL	
RAW MATERIAL	HM HDPE Granules
HEIGHT IN MM	940 +/- 10 MM
OUSIDE DIAMETER	585 +/- 5 MM
MOUTH OPENNING	460 +/- 5 MM
MINIMUM THICKNESS OF DRUM	3 MM
COLOR	Blue, Red, Yellow, Green
WEIGHT	9.4 kg



235 LTR OPEN TOP BARREL	
RAW MATERIAL	HM HDPE Granules
HEIGHT IN MM	1000 +/- 10 MM
OUSIDE DIAMETER	585 +/- 5 MM
MOUTH OPENNING	460 +/- 5 MM
MINIMUM THICKNESS OF DRUM	3 MM
COLOR	Blue, Red, Yellow, Green
WEIGHT	10 kg

#### Features of our Industrial Barrels, Drums & Containers are:

- Corrosion resistance
- Good stacking strength
- Ideal for Powder based chemicals
- Durable

#### **Product Application**

- Food & Beverages
- Paints & Coatings
- Chemical
- Textile
- Pharmaceutical
- Construction
- Fertilizer
- Pesticides

## Salient Features Of Our Barrels

- Barrels are designed as per requirement of international standards.
- Multiple point Micro Wall Thickness Control programme for Best Mechanical Strength with Excellent chemical Resistance.
- Complete Emptying with no Residue in Barrel.
- Excellent Top grip for Lifting of Barrel and bottom ring for forklift.
- Suitable for packaging of Food, Pharma, Bulk Drug, Castor Oil, Pesticides, Lube Oil,
  Acid and many other concentrated chemicals.

# **Process On Line Checking/Testing**

- Visual Appearance
- Proper Bung Seating for Zero Leakage
- Wall Thickness Measurement of Barrel on Random Basses (Vertical and Horizontal)
- · Removal of Flash.
- Required Weight Setting.
- After Cooling Treatment for Proper Shape of Barrel
- Light Test for Colour Dispersion and Foreign Particle
- Permanent Marketing for Tresibility
- Printing on Barrel with Required Colour
- Tape Test for Fixing of Printing Material on Barrel

## **JSK PLASTIC INDUSTRIES**

OFFICE ADDRESS	D – 21, Adishwar Gold, Nikol-Kathwada Cross Road, SP Ring Road, Ahmedabad-382350, Gujarat, India
SALES & MARKETING	+91 82007 89286
PROCUREMENT	+91 95379 52080
EMAIL	info@jskplast.com
WEBSITE	www.jskplast.com
GSTIN	24HOXPK1939A1ZQ
IMPORT EXPORT CODE	HOXPK1939A